

氏名	論題	発表雑誌名等	巻号	頁	発表年月日
Matsukawa R, Michikawa T, Ueda K, Nitta H, Kawasaki T, Tashiro H, Mohri M, Yamamoto Y.	Desert dust is a risk factor for the incidence of acute myocardial infarction in Western Japan.	Circ Cardiovasc Qual Outcomes 2014	7	743-748	2014
JCS Joint Working Group	Guidelines for diagnosis and treatment of patients with vasospastic angina (coronary spastic angina).	Circ J 2014	78	2779-2801	2014
Hashimoto T, Okamatsu Y, Hyakuna Y, Sedutsu Y, Miyata K, Origuchi H, Mohri M, Yamamoto H.	Perianeurysmal emphysema: Clostridium septicum-infected aortic aneurysm.	Circulation 2014	129	129	2014
Mohri M	Letter by Mohri regarding article, "Clinical Usefulness, Angiographic Characteristics and Safety Evaluation of Intracoronary Acetylcholine Provocation Testing among 921 Consecutive White Patients with Unobstructed Coronary Artery".	Circulation 2015	131	e324	2015
Hyakuna Y, Hashimoto T, Mohri M.	Clinical characteristics and in-hospital mortality of very elderly patients hospitalized for acute decompensated heart failure: experience at a single cardiovascular center in Japan.	Acta Cardiologica			2016 (in press)
Ueki Y, Mohri M, Matoba T, Tsujita Y, Yamasaki M, Tachibana E, Yonemoto N, Nagao K	Characteristics and Predictors of Mortality in Patients with Cardiovascular Shock in Japan: Results from the Japanese Circulation Society Cardiovascular Shock Registry.	Circ J	80	852-859	2016
Katsuki S, Ito K, Tadokoro T, Sasaguri T, Hisahara M, Mohri M	Mitral annulus calcification-related calcified amorphous tumour trapped and extended by closing aortic valve.	Eur Heart J Cardiovasc Imaging			2016 (in press)
Ito K, Miyata K, Mohri M, Origuchi H, Yamamoto H	The effects of the habitual consumption of miso soup on the blood pressure and heart rate of Japanese adults; A cross-sectional study of a health examination.	Intern Med.	56	23-29	2017

氏名	論題	発表雑誌名等	巻号	頁	発表年月日
Hyakuna Y, Hashimoto T, Mohri M.	Clinical characteristics and in-hospital mortality of very elderly patients hospitalized for acute decompensated heart failure: experience at a single cardiovascular center in Japan.	Acta Cardiologica	71	604-611	2016
Ueki Y, Mohri M, Matoba T, Tsujita Y, Yamasaki M, Tachibana E, Yonemoto N, Nagao K.	Characteristics and Predictors of Mortality in Patients with Cardiovascular Shock in Japan: Results from the Japanese Circulation Society Cardiovascular Shock Registry.	Circ J	80	852-859	2016
Nagata T, Hyakuna Y, Miyata K, Mohri M.	Contemporary practice and outcomes of an elderly cohort of Japanese patients with non-ST-elevation acute coronary syndrome in the era of routine early invasive strategy.	Int J Cardiol			2017 (in press)
Katsuki S, Ito K, Tadokoro T, Sasaguri T, Hisahara M, Mohri M.	Mitral annulus calcification-related calcified amorphous tumour trapped and extended by closing aortic valve.	Eur Heart J Cardiovasc Imaging	17	585	2017
Tadokoro T, Keshino E, Makiyama A, Sasaguri T, Ohshima K, Katano H, Mohri M.	Acute lymphocytic myocarditis with anti-PD-1 antibody nivolumab.	Circ Heart Fail	9	e003514	2016
Tadokoro T, Katsuki S, Ito K, Onitsuka K, Nakashima A, Sasaguri T, Miyata K, Yamamoto H, Mohri M.	Inoperable primary ovarian carcinoid led to the progression of carcinoid heart disease from right-sided to both-sided involvement.	Circ Heart Fail	10	e003719	2017
Ito K, Miyata K, Mohri M, Origuchi H, Yamamoto H.	The effects of the habitual consumption of miso soup on the blood pressure and heart rate of Japanese adults: a cross-sectional study of a health examination.	Intern Med	56	23-29	2017
Nagata T, Hyakuna Y, Miyata K, Mohri M.	Contemporary practice and outcomes of an elderly cohort of Japanese patients with non-ST-elevation acute coronary syndrome in the era of routine early invasive strategy.	Int J Cardiol	240	49-54	2017
Nagata T, Mohri.	The clinical features and outcomes of patients with takotsubo syndrome: the experience at an emergency general hospital.	Int Med	57	641-5	2017

氏 名	論 題	発表雑誌名等	巻号	頁	発表年月日
Tadokoro T, Katsuki S, Ito K, Onitsuka K, Nakashima A, Sasaguri T, Miyata K, Yamamoto H, Mohri M.	Inoperable primary ovarian carcinoid led to the progression of carcinoid heart disease from right-sided to both-sided involvement.	Circ Heart Fail	10	e003719	2017